

BradyPrinter M611 and i3300 Operational Efficiency Kit

Print Technology: Thermal Transfer

Maximum Labels per Day: 750

Display Size: 3.5 in (88.9 mm)

Color Printing Capability: Single Color

Part Number: M611-I3300-PWID

Top Applications



Laboratory

Vial, Tube, Slide labeling, Sample identification



DataCom

Sleeves, Self-Lams, Wire Wraps, Cable Markers, Flag & Raised Panel Labels



Electrical

Sleeves, Self-Lams, Wire Wraps, Cable Markers, Flag and Raised Panel Labels



Wire and Cable

Sleeves, Self-Lams, Wire Wraps, Flag Labels, Cable Markers





Inspection and Repair

Eye Wash Stations, Fire Extinguisher, Forklift Equipment, Ladders, Respirators

Specifications

Key Characteristics:


Product Number	151510
UPC	754473638955
Applications 	Control Panel & Component Marking, Data Communications Labeling, Laboratory ID, Panel Labeling, Product ID, Terminal Block ID
UOM	Kit
Trade Name	BradyPrinter M611
Brand Name	Brady®

Country of Origin 	Malaysia
HTS Code (Harmonized Tariff Schedule) 	8443.32.1050

Dimensions

Dimensions	4.55 in H x 4.46 in W x 10.97 in D
Height	4.55 in
Width	4.46 in
Depth	10.97 in
Display Size	3.5 in (88.9 mm)
Printer Weight	3.52 lb

Product Features



Shipped With Battery	Yes
How Is Battery Shipped	Shipped installed in equipment
Battery mAh Rating	3200 mAh
Battery Weight	208 g
Connectivity Options 	Bluetooth, USB 2.0, Wi-Fi
Cutter Type	Auto Cutter
Display Type	Color Touch Screen, LCD backlit graphics display
Memory	256 MB Flash, 512 MB RAM

Mode of Operation	PC Connect
Number of Printers in Kit	2
Plug Type	US
Power Supply Voltage	110 to 240 V
Auto Shut-Off / Power Conserve	User Configurable
Recharge Time	4.5 hours
User Interface Type	Mobile device, PC, Touch Screen
Battery Type	Rechargeable Lithium-Ion Battery
Label/Media Format	Cartridge

Printing Specifications

Barcode Capability	Yes
Barcode Symbologies - 2D	More Through Brady Workstation
Barcode Symbologies - Linear	More Through Brady Workstation
Color Printing Capability	Single Color
Font Sizes	4 pt to 170 pt Text
Font Styles	Brady Alpine, Brady Fixed Width
Label Retention Feature	No
Maximum Labels per Day	750
Maximum Print Speed	1.33 in/s
Print Resolution	300 dpi
Print Technology	Thermal Transfer


Compatibility

Cartridge Printer Series 	BradySleeve Markers (PTS-), Bulk DuraSleeve Wire Marker Inserts (BPTDS-), Bulk Labels (BPTL-), Bulk PermaSleeve Wire Marker Sleeves (BPSPT-), Bulk Terminal Block Markers (BPTLTB-), Labels (PTL-, PTLEP-, PTLFP-, PTLFT-, PTLSL-), M61 Series (M61-, M61C-), Permashield Labels (PTPS-, PTPSL-), PermaSleeve Wire Marker Sleeves (PSPT-, PSHT-, PSFR-)
Continuous & Die-Cut Materials Supported	Continuous Tapes & Die-Cut Labels
Maximum Label/Tape Width	2 in
Maximum Print Width	1.92 in
Maximum Printed Label Length	40 in
Minimum Label Length 	0.236 in
Minimum Liner Width	0.812 in
Maximum Liner Width	2.25 in
Software Compatibility	Brady® Workstation, Brady® Workstation Mobile Apps, Windows Based Driver for Third Party Software Use
Languages Available	English (US), French (France), Portuguese (Portugal), Spanish (Spain)

What's Included

Includes	(1) AC Adapter/Battery Charger (M-AC-143110), (1) Brady Workstation Product and Wire ID Suite (BWS-PWID-EM), (1) BradyPrinter i3300 Printer with Wi-Fi (150640), (1) BradyPrinter M611 Mobile Printer (M611-AM-BT-W), (1) Cleaning Kit (PCK-6), (1) Cutter Cleaning Tool, (1) Li-Ion Internal Rechargeable Battery, (1) Matte White Polyester General Identification Labels (PTL-97-488), (1) Power Cord, (1) Product CD with User Manual, (1) Quick Start Guide, (1) R4300 Series Printer Ribbon (M61-R4310), (1) USB Cable, (1) USB Cable (BMP410USB), (1) USB Flash Drive with Product Info and Windows Driver
Warranty	2 Years

Compliance

UNSPSC	45101520
California Prop 65	 WARNING: Cancer - www.p65warnings.ca.gov