

JBC

The Soldering Co.



B·IRON
FREEDOM UNDER CONTROL

B·iRON

FREEDOM UNDER CONTROL

Welcome to the next generation of the rechargeable soldering iron

With the latest battery improvements and JBC Exclusive Heating System, we have created the new generation of the rechargeable and freestanding soldering iron.



JBC
The Soldering Co.




Improve & optimize your soldering quality through your device

From any device with Bluetooth, you can remotely control and configure the tool parameters to adapt them to your needs.

Tool ID JBC#1	PIN ****	Sensibility / Handle feel <input type="radio"/> Low <input type="radio"/> Medium <input type="radio"/> High
Hibernation delay <input type="button" value="-"/> 00:30 <input type="button" value="+"/>	Shutdown delay <input type="button" value="-"/> 01:00 <input type="button" value="+"/>	Sleep mode <input checked="" type="checkbox"/> Sleep temperature <input type="button" value="-"/> 150°C <input type="button" value="+"/>
Status light <input checked="" type="radio"/> 2 colors <input type="radio"/> Multicolor	Tool Status <input checked="" type="radio"/> Working <input type="radio"/> Charging <input type="radio"/> Low battery <input type="radio"/> No cartridge <input type="radio"/> Power OFF	Tool light Intensity <input type="range"/>

Heat Control

As all JBC Tools, B·iRON features JBC Exclusive Heating System ensuring an extremely quick temperature recovery reaching 350°C in less than 4 seconds.



The first tool with all of JBC
Soldering Technology and
Bluetooth connection

Lightweight & Ergonomic

The tool is designed to
perfectly lie in the operator's
hand with minimum weight,
making the soldering process
even more
comfortable.



Cartridge Range

More than 65 different shapes

B210 is fully compatible with C210 Cartridge Range

C115 Cartridge Range




C210 Cartridge Range




Born to be ready

Charging your B-iRON is effortless thanks to its charger integrated in the stand which fully charges the tool while resting in Hibernation Mode preventing oxidation.



Charges 80% in 15 minutes



Up to 100 SMD soldering joints with each full charge



Cleaning System

A complete cleaning system with splashguard and antispash membrane to keep the work area clean and free of solder particles.



Cartridge Extractor

Increase efficiency by using the easy and safe Quick Cartridge Extractor.



Cartridge & Console Holder

Cartridge Holder to store up to three cartridges, as well as the Console.

